

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	FIRST INITIAL	29JUN2016	HG	TD

1: APPLICABLE WIRE RANGE: 22-18AWG
 2: APPLICABLE INSULATION RANGE: DIAMETER 0.094~0.110
 3: COUNTERPART: STANDARD 250 TAB WITH HOLE STRUCTURE
 4: RAW MATERIAL STOCK THICKNESS: 0.0126 INCH
 5: RECOMMENDED MATING TAB THICKNESS: 0.032 INCH

SECTION A-A

SECTION B-B

TIN-PLATED	BRASS	2238045-2
N/A	BRASS	2238045-3
FINISH	MATERIAL	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Hogan Guo 29JUN2016	 TE Connectivity	
DIMENSIONS: INCH		CHK Tim Ding 29JUN2016		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD Tim Ding 29JUN2016	NAME RECEPTACLE, FASTON, .250 SERIES	
0 PLC ±-		PRODUCT SPEC 108-106216	SIZE A3	
1 PLC ±.1		APPLICATION SPEC 114-106216	CAGE CODE -	DRAWING NO C=2238045
2 PLC ±.01		WEIGHT 0.67 GR	RESTRICTED TO -	
3 PLC ±.005		CUSTOMER DRAWING	SCALE 5:1	SHEET 1 OF 1
4 PLC ±.0005				REV A
ANGLES ±-				
MATERIAL BRASS				
FINISH SEE TABLE				

1470-19 (3/13)